

Semantic Wiki aided Business Process Specification

Toufееq Hussain

SETLabs, Infosys Technologies Ltd.
Bangalore, India
+91-9886980172

toufееq_hussain@infosys.com

Rajesh Balakrishnan

SETLabs, Infosys Technologies Ltd.
Bangalore, India
+91-9945225082

rajeshb@infosys.com

Amar Viswanathan

SETLabs, Infosys Technologies Ltd.
Bangalore, India
+91-9742846589

amar_viswanathan@infosys.com

ABSTRACT

This paper formulates a collaborative system for modeling business application. The system uses a Semantic Wiki to enable collaboration between the various stakeholders involved in the design of the system and translates the captured intelligence into business models which are used for designing a business system.

Categories and Subject Descriptors

D.2.1 [Software Engineering]: Requirements/Specifications – Languages

D.3.1 [Programming Languages]: Formal Definitions and Theory – Semantics

H.3.5 [Information Storage and Retrieval]: Online Information Services – Web-based services

H.5.2 [Information Interfaces and Presentation]: User Interfaces – Natural language

General Terms

Theory, Experimentation, Languages

Keywords

Software, Modeling, Semantic Web, BPEL, RDF

1. INTRODUCTION

The increasing complexity of today's business world is being reflected in today's business applications. Today, there is a need for a system where business and domain experts can collaborate to create these complex systems.

With the prevalence of tools like blogs and wikis, we now have the ability to create a platform where multiple stakeholders can collaborate over a system's design. These tools however lack the capability of capturing the inherent intelligence within a system. Hence, what is required is a system which not only provides a collaborative platform but also captures the inherent intelligence.

In this paper we propose a system built on semantic technologies, which is used to capture the process definitions of a system and translate them into programming constructs.

2. Background

Every business modeling process requires business analysts and domain experts collaborate in designing a system which caters to a set of specifications. These specifications are captured in a requirements document and verified by various stakeholders.

Traditionally the system requirements document has been a static document capturing the requirements of a client or a customer. This document is verified based on set functional and systematical

parameters. The process of defining requirements and its verification operates in a feedback loop till a final design document is arrived at.

By using semantic wiki and business process modeling, we intend to reduce the number of iterations in the process of creating the final design document. Our system also goes a step further by generating the actual code which will make up the business objects of the system.

According to Decker [1], wikis offer a flexible platform for asynchronous collaborative support of active stakeholder participation in requirements engineering and it also makes it easy to integrate different stakeholders' views. The need to capture semantics is also brought out in this approach. Lohmann et al. [2] use the SoftWiki Ontology for Requirements Engineering (SWORE) for the semantics but the semantics are not from business perspective.

There are other efforts like the Semantic Business Processes Management Working Group [3] whose major objective is the mechanization of Business Process Management using Semantic Web techniques and especially Semantic Web Services.

Our approach proposes the use of Semantic Web techniques by the Business expert/analyst at the system requirements definition phase itself. We have also used Semantic MediaWiki [4] to prototype our concept.

2.1 Enterprise Web 2.0

With the widespread use of Web 2.0 tools like Blogs and Wikis, knowledge workers are well equipped to leverage these tools as part of their daily work. We have built our collaborative business modeling system not only on Web 2.0 technologies but have also incorporated semantic technologies and web services. We hope to position this system as a valuable tool for the enterprise knowledge worker. This system is primarily aimed at business domain experts and business analysts for capturing the requirements of a business application and then translating these requirements into code.

3. Collaborative Business Modeling

Collaborative Business Modeling is the process by which the various stakeholders involved in the development of a system use a single business process development platform to design the system. The modeling process can be defined as such.

3.1 Modeling Process

The collaborative modeling process consists of the following steps:

1. The business domain expert prepares the System Requirements document using natural language wiki

constructs. The business analyst annotates the System Requirements document using semantic wiki constructs.

- Once the System Requirements document is prepared, it is exported to RDF. All the processes, entities and relationships are exported as RDF files. These RDF files are then converted to BPEL using a RDF to BPEL translator which we have developed.
- From the BPEL files, the inherent relationships and processes are linked together to define the complete system.
- The linked BPEL can then be verified visually through a BPMN modeler. The final step is to pass the BPEL to a BPEL engine for generating the interface definition code.

3.2 Sample Modeling Scenario

An example in the form of an enterprise travel request application captured on Semantic Wiki is shown in Fig.1 and Fig.2 shows the semantic constructs of this system.




Figure 1 Semantic Wiki capturing requirements




Figure 2 Semantic Wiki constructs

The semantic markup is converted to RDF by the Semantic Wiki. The RDF generated by the Semantic Wiki is then converted to BPEL. This is done by the RDF to BPEL translator. The translator parses the RDF to create a parse tree and a lookup table. Standard schematics use a static global lookup table whereas datatypes and processes require a dynamic lookup table. RDF Datatypes are encapsulated by the RDF properties and when converted they are transformed into BPEL partnerLinks and processes.

Sample BPEL obtained from Eclipse BPEL is shown in Fig. 3 for the business system described earlier. The BPEL obtained from the translator is verified using a BPM modeler. The BPMN version of the system is given in Fig.4. Once the visual verification process is complete, the BPEL is ready to be used by a BPEL-Engine like Microsoft BizTalk Server.

```
<bpws:variables>
<bpws:variable messageType="tns:TravellRequestMessage" name="input"/>
<bpws:variable messageType="tns:TravellResponseMessage" name="output"/>
<bpws:variable name="ManagerRequest"/>
<bpws:variable name="ManagerResponse"/>
<bpws:variable name="AutoRequest"/>
<bpws:variable name="AutoResponse"/>
</bpws:variables>
<bpws:sequence name="main">
<bpws:receive createInstance="yes" name="receiveInput"
operation="process" partnerLink="client"
portType="tns:Travell" variable="input"/>
<bpws:invoke inputVariable="input" name="Invoke" partnerLink="TRAWELL"/>
<bpws:if name="If">
<bpws:invoke inputVariable="ManagerRequest" name="Invoke1"
outputVariable="ManagerResponse" partnerLink="MANAGER"/>
<bpws:condition><![CDATA[true()]]></bpws:condition>
<bpws:elseif>
<bpws:condition><![CDATA[true()]]></bpws:condition>
<bpws:invoke inputVariable="ManagerRequest"
name="Invoke3" outputVariable="ManagerResponse" partnerLink="
</bpws:elseif>
<bpws:elseif>
```

Figure 3 BPEL obtained from RDF to BPEL translator




Figure 4 BPMN for sample scenario

4. CONCLUSION

This paper describes a system which is used for collaborative BPM of complex enterprise applications. By integrating business process tools and semantic intelligence into Web 2.0 applications we are able to capture business requirements, enhance it with intelligence and transform into it programmable business logic.

5. REFERENCES

- [1] B Decker et al. Wiki-Based Stakeholder Participation in Requirements Engineering, IEEE Software, 2007
- [2] S Lohmann, T Riechert and S Auer. Collaborative Development of Knowledge Bases in Distributed Requirements Elicitation, Software Engineering 2008
- [3] Semantic Business Processes Management Working Group <http://www.sbpn.org/>
- [4] M Krötzsch, D Vrandeic, M Völkel. Semantic MediaWiki, Proc. 5th International Semantic Web Conference (ISWC06)